Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	57	knecht-andreas.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/31 14:52
L2	8	polzin-ulf.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/31 14:54
L3	94	drive adj wheel same spacer same gear	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/31 14:54
L4	2133	123/90.17,90.18.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/31 14:54
L5	1	L3 and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/31 14:54
S1	19	"4617882"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:40
S2	11	"4167882"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:33
S3	43	knecht-andreas.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/31 14:52
S4	5	polzin-ulf.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/31 14:54
S5	12	"3110195"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:46
S6	10	"2749893"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:47
S7	11	"4610224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:50

S8	8	"5097805"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:50
S9	15	"5417186"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:51
S10	3	"5735239"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:52
S11	2	"20010025612"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:53
S12	2	"20010042527"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:53
S13	0	ep-0624717-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:53
S14	2	ep-624717-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:54
S15	2	de-10001066-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:55
S16	2	de-10042014-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:56
S17	2	ep-420290-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:58
S18	2	ep-740053-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:59
S19	2	ep-1156191-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:59

S20	2	ep-1013899-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 18:59
S21	2005	123/90.17,90.18.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 19:19
S22	2005	123/90.27,90.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 19:20
S23	670	123/195A.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 19:20
S24	691	123/90.17,90.18.ccls. and 123/90.27,90.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 19:20
S25	2	123/90.17,90.18.ccls. and 123/195A.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 19:23
S26	3562	(variable or adjust$4 or chang$5) near2 (mechanism or device or apparatus) with (gear$3 or mesh$3 or intermesh$3) near2 (connect$4 or driv$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 19:27
S27	56	123/90.17,90.18.ccls. and ((variable or adjust$4 or chang$5) near2 (mechanism or device or apparatus) with (gear$3 or mesh$3 or intermesh$3) near2 (connect$4 or driv$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 19:26
S28	19	123/90.17,90.18.ccls. and (((variable or adjust$4 or chang$5) near2 (mechanism or device or apparatus) with (gear$3 or mesh$3 or intermesh$3) near2 (connect$4 or driv$3)) same (crank$1shaft or crankshaft) same (cam$1shaft or camshaft))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 19:30
S29	6	123/90.27,90.31.ccls. and (((variable or adjust$4 or chang$5) near2 (mechanism or device or apparatus) with (gear$3 or mesh$3 or intermesh$3) near2 (connect$4 or driv$3)) same (crank$1shaft or crankshaft) same (cam$1shaft or camshaft))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/22 19:30

S30	34	((variable or adjust$4 or chang$5) near2 (mechanism or device or apparatus) with (gear$3 or mesh$3 or intermesh$3) near2 (connect$4 or driv$3)) same (crank$1shaft or crankshaft) same (cam$1shaft or camshaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/24 11:34
S31	4338	123/90.15-90.18.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 09:52
S32	2641	123/90.27,90.31,195A.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 09:53
S33	845	123/90.15-90.18.ccls. and 123/90.27,90.31,195A.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 09:53
S34	4098	((intake or inlet) with (variable or chang$5 or adjust$4) near3 (device or apparatus or adjuster or mechanism)) same ((exhaust or outlet) with (variable or chang$5 or adjust$4) near3 (device or apparatus or adjuster or mechanism))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 09:57
S35	159	((intake or inlet) with (variable or chang$5 or adjust$4) near3 (device or apparatus or adjuster or mechanism)) same ((exhaust or outlet) with (variable or chang$5 or adjust$4) near3 (device or apparatus or adjuster or mechanism)) same gear$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 10:59
S36	31	(123/90.15-90.18.ccls. and 123/90.27,90.31,195A.ccls.) and (((intake or inlet) with (variable or chang$5 or adjust$4) near3 (device or apparatus or adjuster or mechanism)) same ((exhaust or outlet) with (variable or chang$5 or adjust$4) near3 (device or apparatus or adjuster or mechanism)) same gear$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 09:57

S37	30	((intake or inlet) with (variable or phas$3 or chang$5 or adjust$4) near3 (device or phas$3 or apparatus or adjuster or mechanism)) same ((exhaust or outlet) with (variable or chang$5 or adjust$4) near3 (device or apparatus or adjuster or mechanism)) same gear$3 same (crankshaft or crank$1shaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 10:12
S38	21	((intake or inlet) with (variable or phas$3 or chang$5 or adjust$4) near3 (device or phas$3 or apparatus or adjuster or mechanism)) same ((exhaust or outlet) with (variable or chang$5 or adjust$4) near3 (device or apparatus or adjuster or mechanism)) same gear$3 same (crankshaft or crank$1shaft) same (belt or chain or drive)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 10:13
S39	1817	123/90.17.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 10:28
S40	778	123/90.17.ccls. and (belt or chain or drive) with (crankshaft or crank$1shaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 10:29
S41	559	(123/90.17.ccls. and (belt or chain or drive) with (crankshaft or crank$1shaft)) and (gear$3 or wheel or mesh$3 or intermesh$3 or intertwin$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 10:30
S42	64	((intake or inlet) with (variable or chang$5 or adjust$4) near3 (device or apparatus or adjuster or mechanism)) same ((exhaust or outlet) with (variable or chang$5 or adjust$4) near3 (device or apparatus or adjuster or mechanism)) same gear$3 and (crankshaft or crank$1shaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 10:59

S43	26	(123/90.15-90.18.ccls. and 123/90.27,90.31,195A.ccls.) and (((intake or inlet) with (variable or chang$5 or adjust$4) near3 (device or apparatus or adjuster or mechanism)) same ((exhaust or outlet) with (variable or chang$5 or adjust$4) near3 (device or apparatus or adjuster or mechanism)) same gear$3 and (crankshaft or crank$1shaft))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/23 11:00
S44	150	((variable or adjust$4 or phas$3 or chang$5) near2 (mechanism or phas$3 or adjust$3 or device or apparatus) same (gear$3 or mesh$3 or intermesh$3) near2 (connect$4 or driv$3)) same (cam$1shaft or camshaft) and (crank$1shaft or crankshaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/24 11:45
S45	93	(((variable or adjust$4 or phas$3 or chang$5) near2 (mechanism or phas$3 or adjust$3 or device or apparatus) same (gear$3 or mesh$3 or intermesh$3) near2 (connect$4 or driv$3)) same (cam$1shaft or camshaft) and (crank$1shaft or crankshaft)) and 123/90.17.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/24 11:37
S46	26	((variable or adjust$4 or phas$3 or chang$5) near2 (mechanism or phas$3 or adjust$3 or device or apparatus)) same (exhaust or outlet) same (intake or inlet) same ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) near2 (connect$4 or driv$3)) same (cam$1shaft or camshaft) and (crank$1shaft or crankshaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/24 12:17
S47	43	((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) same (exhaust or outlet) same (intake or inlet) same ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) near3 (connect$4 or driv$3)) same (cam$1shaft or camshaft) and (crank$1shaft or crankshaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/24 12:35

S48	17	(((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) same (exhaust or outlet) same (intake or inlet) same ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) near3 (connect$4 or driv$3)) same (cam$1shaft or camshaft) and (crank$1shaft or crankshaft)) not (((variable or adjust$4 or phas$3 or chang$5) near2 (mechanism or phas$3 or adjust$3 or device or apparatus)) same (exhaust or outlet) same (intake or inlet) same ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) near2 (connect$4 or driv$3)) same (cam$1shaft or camshaft) and (crank$1shaft or crankshaft))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/24 12:19
S49	303	((((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) with (exhaust or outlet)) and (((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) with (intake or inlet))) and ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) same (cam$1shaft or camshaft))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/24 12:39

S50	275	(((((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) with (exhaust or outlet)) and (((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) with (intake or inlet))) and ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) same (cam$1shaft or camshaft))) not (((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) same (exhaust or outlet) same (intake or inlet) same ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) near3 (connect$4 or driv$3)) same (cam$1shaft or camshaft) and (crank$1shaft or crankshaft))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/24 13:56
S51	163	((((((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) with (exhaust or outlet)) and (((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) with (intake or inlet))) and ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) same (cam$1shaft or camshaft))) not (((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) same (exhaust or outlet) same (intake or inlet) same ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) near3 (connect$4 or driv$3)) same (cam$1shaft or camshaft) and (crank$1shaft or crankshaft))) and 123/90.17.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/24 12:39
S52	10	"6244230".URPN.	USPAT	OR	ON	2004/08/24 13:02
S53	3	("4517936" | "4693214" | "5497737").PN.	USPAT	OR	ON	2004/08/24 13:03

S54	275	(((((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) with (exhaust or outlet)) and (((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) with (intake or inlet))) and ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) same (cam$1shaft or camshaft))) not (((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) same (exhaust or outlet) same (intake or inlet) same ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) near3 (connect$4 or driv$3)) same (cam$1shaft or camshaft) and (crank$1shaft or crankshaft))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/24 13:56
S55	112	((((((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) with (exhaust or outlet)) and (((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) with (intake or inlet))) and ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) same (cam$1shaft or camshaft))) not (((VVT or VTC or VCT or variable or adjust$4 or phas$3 or chang$5) near3 (mechanism or phas$3 or adjust$3 or device or apparatus)) same (exhaust or outlet) same (intake or inlet) same ((gear$3 or mesh$3 or intermesh$3 or intertwin$3) near3 (connect$4 or driv$3)) same (cam$1shaft or camshaft) and (crank$1shaft or crankshaft))) not 123/90.17.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/24 13:57
S56	2008	123/90.17,90.18.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/25 12:10

S57	0	123/90.17,90.18.ccls. and (phas$3 or adjust$3 or variable or shift$3 or chang$3) same drive near2 wheel with gear same spacer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/25 12:12
S58	16	123/90.17,90.18.ccls. and (phas$3 or adjust$3 or variable or shift$3 or chang$3) same drive near2 wheel with gear	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/25 12:17
S59	1	123/90.17,90.18.ccls. and (phas$3 or adjust$3 or variable or shift$3 or chang$3) same (wheel or gear) with spacer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/25 12:24
S60	37	123/90.17,90.18.ccls. and (phas$3 or adjust$3 or variable or shift$3 or chang$3) same spacer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/25 12:25
S61	1	(US-6244230-$).did.	USPAT	OR	OFF	2004/08/25 12:37
S62	1	((US-6244230-$).did.) and chain	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/25 12:37